

Usage Recommendations

Educational/Institutional		Hospital/Health Care	
Cafeteria, Dining Area	HR	Critical/Intensive Care	NR (1)
Classrooms	HR	Dialysis	NR (1,2,3)
Clean Rooms	R	Emergency Room/Area	NR (3,4)
Computer Labs	R (5)	Hyperbaric Room	NR (1)
Computer Repair Lab	NR (5)	Interior Utility/Storage Rooms	HR
Corridors	R (4)	Laboratories	R
Dormitory Rooms	HR	Patient Corridors	R
Electronic Testing Lab	NR (5)	Patient Rooms	HR
Electronics Manufacturing	NR (5)	Physical Therapy	R
Food Preparation	NR	Procedure Rooms	R
Gymnasiums	R (6)	Ramped Corridor	NR (3)
Interior Utility/Storage Areas	HR		
Laboratories	HR	Corporate	
Lavatories	NR (2,3)	Computer Room	R (5)
Locker Rooms (no metal spikes)	R (2)	Corridors	R
Multipurpose Room	HR	Elevators	HR
Photo Processing	HR	Interior Utility/Storage Rooms	HR
Production Laboratory	HR	Lavatories	NR (2)
Ramps	NR	Lobby	R
Research Laboratory	HR	Lunchrooms	HR
Small Parts Assembly	HR	Offices/Conference Rooms	HR
Sterile Packaging	R	Vestibules/Entryways	R (2,3,4)
		Hospitality	
Retail		Corridors	R
Checkout/Cash Wrap	HR	Dining Room	HR
Entryways	R (4)	Elevators	HR
Food Service	R	Hospitality Rooms	HR
Sales Floor	HR	Lobby	R
Specialty Shops/Areas	HR	Lounge	HR
		Meeting Rooms/Ballrooms	HR
		Vending Areas	R
		Vestibules/Entryways	R (2,3,4)

USAGE RATING DEFINITIONS:

- HR** (Highly Recommended) – Flooring will deliver outstanding performance in this environment.
R (Recommended) – Flooring will perform adequately in this environment.
NR (Not Recommended) – Flooring should not be used in this environment.

NOTES:

The following codes describe conditions which may have a bearing on the rating:

- (1) Aseptic Room – Hygienic conditions are of critical importance.
- (2) Water Resistance – Flooring in these areas may be subjected to excessively high quantities of water.
- (3) Slip Resistance – A more secure walking surface may be required.
- (4) Abrasion Resistance – High potential for damage caused by wheeled carts or heavy foot traffic.
- (5) Static Control – Normally required in this area.
- (6) Contact Technical Services for specific site recommendations.

PLEASE NOTE:

Wilsonart Commercial Flooring is not recommended for:

- Commercial kitchens and commercial food processing areas, including behind deli and fast-food counters.
- Industrial/Manufacturing/Warehousing areas.
- Areas where standing water may be prevalent.
- Commercial restrooms or areas around whirlpools and pool decks.
- Laboratories that require special decontamination procedures on floors.
- Applications where metal taps and/or metal spiked golf or track shoes are used.
- Any exterior application.